

# Laucks<sup>81</sup><sub>years</sub>


## Testing Laboratories, Inc.

940 South Harney St., Seattle, WA 98108 (206) 767-5060 FAX 767-5063

## Certificate

FILE Chemistry, Microbiology, and Technical Services

CLIENT: Alaskan Copper Works  
P.O. Box 3546  
Seattle, WA 98124  
ATTN: Raphael



LABORATORY NO. 16937

DATE: June 16, 1989

PO# M10303

REPORT ON: SLUDGE

### SAMPLE

IDENTIFICATION: Submitted 06/08/89 and identified as shown below:

Metro Waste Sludge 6-8-3200-M10303

*From the Bag*

### TESTS PERFORMED AND RESULTS:

Sample was analyzed for E.P. Toxicity in accordance with Test Methods for Evaluating Solid Waste (SW 846), U.S.E.P.A, November, 1986. Extraction was performed using Method 1310. Mercury was determined using Method 7470, other metals were performed by ICAP, Method 6010.

### parts per million (mg/L)

	<u>Sample</u>	<u>MCL</u>
Arsenic	<0.2	5.0
Barium	0.2	100.
Cadmium	<0.01	1.0
Chromium	<0.1	5.0
Lead	<0.1	5.0
Mercury	<0.005	0.2
Selenium	<0.2	1.0
Silver	<0.1	5.0



This report is submitted for the exclusive use of the person, partnership, or corporation to whom it is addressed. Subsequent use of the name of this company or any member of its staff in connection with the advertising or sale of any product or process will be granted only on contract. This company accepts no responsibility except for the due performance of inspection and/or analysis in good faith and according to the rules of the trade and of science.

AKC-0015178



Testing Laboratories, Inc.

940 South Harney St., Seattle, WA 98108 (206) 767-5060 FAX 767-5063

## Certificate

Chemistry, Microbiology, and Technical Services

PAGE NO. 2

Alaskan Copper Works

LABORATORY NO. 16937

### Key

< = Less than

MCL = Maximum Contamination Level allowed per regulation.

Respectfully submitted,

Laucks Testing Laboratories, Inc.

J. M. Owens

JMO:emt



This report is submitted for the exclusive use of the person, partnership, or corporation to whom it is addressed. Subsequent use of the name of this company or any member of its staff in connection with the advertising or sale of any product or process will be granted only on contract. This company accepts no responsibility except for the due performance of inspection and/or analysis in good faith and according to the rules of the trade and of science.

AKC-0015179


# Laucks 81 Testing Laboratories, Inc.

940 South Harney St., Seattle, WA 98108 (206) 767-5060 FAX 767-5063

## Certificate

Chemistry, Microbiology, and Technical Services

CLIENT: Alaskan Copper Works  
P.O. Box 3546  
Seattle, WA 98124  
ATTN: Raphael



LABORATORY NO. 16937

DATE: June 16, 1989

PO# M10303

REPORT ON: SLUDGE

### SAMPLE

IDENTIFICATION: Submitted 06/08/89 and identified as shown below:

Metro Waste Sludge 6-8-3200-M10303

### TESTS PERFORMED AND RESULTS:

Sample was analyzed for E.P. Toxicity in accordance with Test Methods for Evaluating Solid Waste (SW 846), U.S.E.P.A, November, 1986. Extraction was performed using Method 1310. Mercury was determined using Method 7470, other metals were performed by ICAP, Method 6010.

parts per million (mg/L)

	<u>Sample</u>	<u>MCL</u>
Arsenic	<0.2	5.0
Barium	0.2	100.
Cadmium	<0.01	1.0
Chromium	<0.1	5.0
Lead	<0.1	5.0
Mercury	<0.005	0.2
Selenium	<0.2	1.0
Silver	<0.1	5.0



This report is submitted for the exclusive use of the person, partnership, or corporation to whom it is addressed. Subsequent use of the name of this company or any member of its staff in connection with the advertising or sale of any product or process will be granted only on contract. This company accepts no responsibility except for the due performance of inspection and/or analysis in good faith and according to the rules of the trade and of science.

AKC-0015180

# Laucks 81 years

## Testing Laboratories, Inc.

940 South Harney St., Seattle, WA 98108 (206) 767-5060 FAX 767-5063

Chemistry, Microbiology, and Technical Services

## Certificate

Alaskan Copper Works

PAGE NO. 2

LABORATORY NO. 16937



### Key

< = Less than

MCL = Maximum Contamination Level allowed per regulation.

Respectfully submitted,

Laucks Testing Laboratories, Inc.

*J. M. Owens*  
J. M. Owens

JMO:emt



This report is submitted for the exclusive use of the person, partnership, or corporation to whom it is addressed. Subsequent use of the name of this company or any member of its staff in connection with the advertising or sale of any product or process will be granted only on contract. This company accepts no responsibility except for the due performance of inspection and/or analysis in good faith and according to the rules of the trade and of science.

AKC-0015181

FILE

# Laucks <sup>81</sup> YEARS

## Testing Laboratories, Inc.

940 South Harney St., Seattle, Washington 98108 (206) 767-5060 FAX 767-5063



### Invoice


Chemistry Microbiology and Technical Services

CLIENT: Alaskan Copper Works  
P.O. Box 3546  
Seattle, WA 98124  
ATTN: Raphael

INVOICE NO. 16937

DATE: June 16, 1989

PO# M10303



For the analysis of SLUDGE ----- \$205.00

#### Net 30 Days

The sole liability of these laboratories for these services, including claims for negligence, strict liability in tort or warranty, shall not exceed the amount of this invoice. Samples may be discarded after analysis unless otherwise requested.

Fed. Empl. ID No. 91-0580763



AKC-0015182